



PROFESSIONAL

GOLF 275 AS



Lifejacket level 275



GOLF 275 AS

Special model for working at height: the lifejacket with its extremely abrasion resistant outer cover has been developed to perfectly combine with a fall-arrest system.

Split back strap, harness tunnel on the underside of the outer cover, integral thigh strap and sturdy click buckle with integral adjuster – these are the important main features of this professional lifejacket. Thus it is ideally suited for use with a fall-arrest harness whilst working at height, providing a complete safety system and being so compact offers great free-

dom of movement, so is ideal for use on wind-farms or other tall structures. The coated outer cover is particularly tough and abrasion resistant and therefore suitable for the harshest conditions.



SPECIFICATION

General technical data	
Type:	GOLF 275 AS
Part No.:	13805
Approval:	EN ISO 12402-2
Buoyancy:	approx. 280 N
Colour:	Dark blue/Orange
Weight:	approx. 1.3 kg
CO ₂ -Cartridge:	60 g CO ₂ -Dock
Size:	40 kg to 120 kg body weight 85 cm to 135 cm chest measurement
Temperature range:	Storage: -54 °C to +70 °C Operation: -10 °C to +70 °C
Geographical range:	unlimited*
Application:	Special inflatable work lifejacket for use with fall-arrest systems, e.g.: offshore wind farms and for working at heights.

* to protect the SECUMAR Pill/Pill-Box against premature disintegration caused by high atmospheric humidity/temperature SECUMAR highly recommends to adapt the changing interval to these specific areas. The standard interval should be shortened to an appropriate period.

Protective Stole			
Integrated Safety Harness acc. to EN ISO 12401:	–	Colour:	Dark blue/Orange
Material:	Polyamide fabric	Closed with:	Velcro tape
Adjustment waist belt:	1 lateral slider	Buckle:	SECUMAR Click-Buckle, 30 mm
Lifting becket (3,2 kN):	•	Back strap:	Single, seperable
Window:	Automatic (with flap)	Pocket for accessories:	–
Service-Zipper:	–	Pocket for nametag:	–

Characteristics:
The new window-design enables a direct view of the inflation device without opening the protective stole. At this lifejacket the window is covered by a protective flap.
With the patented SECUMAR CLICK-buckle the donning and doffing of the lifejacket is very easy, it is donned like a normal jacket.
Due to an attached provision for fall-arrest system and reinforced divisible back strap the lifejacket can be connected to the fall-arrest system. It can easily be donned and doffed together.

Buoyancy chamber			
Design:	Standard	Colour:	Orange
Oral valve:	•	Retro reflecting tape:	400 cm ² (Material: 3M®)
Material:	Polyurethane-coated polyamide fabric	Overpressure valve:	–
Pocket for transmitter:	–		

• Standard/◦ Optional/– Not available

Inflation device

Operation:	Automatic activation upon the SECUMAR Pill-Boxes contact with water.
Type:	SECUMATIC 4001S
Indicator:	4-in-1-Indicator visible through window
Characteristics:	One single red-green-indicator offers an easy possibility of control and inspection before every use: SECUMAR Pill-Box is inserted, CO ₂ -cartridge is full, CO ₂ -cartridge is fitted correctly and activation lever is secured.

Equipment

Sprayhood:	–	Crutch strap:	o
Distress light:	o	CO ₂ -Cartridge:	60 g CO ₂ -Dock
Neck fleece:	• (detachable)	Buddy Line:	–
Transmitter:	–	Signal whistle:	•
Lifeline:	–	Instructions, multi-language:	•

Characteristics:

The neck-fleece provides extra comfort in the neck-area. It is detachable and easy to clean or exchange.

An additional strap can be connected to the fall-arrest system.

The service label on the waist belt shows you at a glance when your lifejacket should be serviced again by the SECUMAR service.

Optional Equipment/ Spare parts

 60 g CO ₂ -Dock AUTO (P/N: 12507)	 Distress light SECULUX CFX-II (P/N: 12947)	 Crutch strap 2K Click 30 (P/N: 14693)
--	--	---

• Standard/o Optional/– Not available

06-13-1000

CE CE: PPE in conformance with Directive 89/686/EWG, type-approved to EN standards and/or DIN EN ISO 12402



SECUMAR is a member of the Emergency Sea Rescue Equipment Trade Federation (FSR), a union of suppliers and importers of all water rescue equipment. For further information, see www.fsr.de.



Bernhardt Apparatebau GmbH u. Co.
 Lifesaving Equipment for Sea and Air
 PO Box 1190 · 25487 Holm, Germany
 Tel.: +49 4103 125 – 0
 Fax: +49 4103 125 – 100
www.secumar.com

