

ACTICHLOR® PLUS

BLOOD SPILLS

ECOLAB®

EFFECTIVE DISINFECTION WHEREVER IT'S NEEDED



1 Wear disposable gloves and apron. If risk of splashing wear eye protection



2 Dispense Actichlor® granules directly onto spill and leave for 2 minutes



3 Scoop up granules and dispose as a biohazard, and then use Actichlor® Plus according to your hospital policy



4 Dissolve Actichlor® Plus tablets (according to dilution instructions below) in cold water to make your solution



5 Dispose of gloves, apron and paper towel as biohazard. Dispose of remaining solution into drains with running water



6 Wash your hands after removing gloves

DILUTION INSTRUCTIONS

Actichlor® Plus Formulation	Granules	1.7g Actichlor® Plus
Usage	Suitable for use	Number required per litre of water (10,000ppm)
Blood Spills	Yes	-
Disinfection after using Actichlor® granules	-	10

WARNINGS AND PRECAUTIONS



DON'T take internally. **AVOID** eye and direct skin contact



DON'T mix with acids* or cationic detergents *eg. urine, vomit



AVOID PROLONGED contact with stainless steel or clothing



ALWAYS dispose used materials as clinical waste



ALWAYS replace lid after use and store in a secure dry place



ALWAYS keep out of the reach of children



ALWAYS make up a fresh solution for each use/refer to MSDS and your hospital policy



WHENEVER POSSIBLE ensure good ventilation when using all chlorine products